

Choi, Sangsook

From: Bill Wagoner <arcola-administrator@consolidated.net>
Sent: Thursday, March 19, 2015 9:16 AM
To: Choi, Sangsook
Cc: 'Terrence K. Boyer'; 'Mark Wathen'
Subject: RE: Libman Company Visit on 3/12-13/2015

Hello,

We had the walk through on Monday that went well. I know that Terry has been on the road for another project this week, but has promised to send a report on the visit. Once I have that, I will forward a copy to you. There were no issues or concerns from their treatment processes that are currently in place. We have agreed going forward to hold an annual meeting at the Libman facility to review their processes going forward.

Thanks,

Bill Wagoner
Administrator
City of Arcola
p (217) 268-4966
f (217) 268-4968
<http://www.arcolailinois.org>

From: Choi, Sangsook [mailto:choi.sangsook@epa.gov]
Sent: Wednesday, March 18, 2015 1:13 PM
To: arcola-administrator@consolidated.net
Subject: Libman Company Visit on 3/12-13/2015

Hello Bill,

I want to know what your engineer found out from visiting Libman company.
Was he there to review the treatment units?
There seems to be some issues if there is a proper pretreatment for wastewater.

Please share with me what you have from your engineer, Terri.
Is he going to evaluate their pretreatment capability?

I need to know.

Thanks,
Sangsook Choi
US EPA R5
77 W. Jackson Blvd.
Chicago, IL 60604.
(312) 353-1869

No virus found in this message.

Checked by AVG - www.avg.com

Version: 2015.0.5751 / Virus Database: 4311/9331 - Release Date: 03/18/15